

Lower Clark Fork Streamflow below Cabinet Gorge Dam Compared to CSKT Compact

June 2023

CSKT Compact Daily Flow Requirements as specified in Appendix 27 Abstract # 76N 30063808													USGS Provisional Data - Discharge CFS (Mean)				
Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Gage	Date	CFS	Excess (Shortfall)	
1	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/1/2023	39,500	34,500
2	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/2/2023	38,000	33,000
3	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/3/2023	31,300	26,300
4	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/4/2023	32,500	27,500
5	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/5/2023	32,400	27,400
6	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/6/2023	31,800	26,800
7	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/7/2023	33,300	28,300
8	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/8/2023	31,100	26,100
9	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/9/2023	32,400	27,400
10	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/10/2023	30,100	25,100
11	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/11/2023	30,300	25,300
12	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/12/2023	32,400	27,400
13	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/13/2023	30,800	25,800
14	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/14/2023	31,600	26,600
15	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/15/2023	34,800	29,800
16	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/16/2023	32,100	27,100
17	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/17/2023	25,200	20,200
18	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/18/2023	23,300	18,300
19	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/19/2023	26,800	21,800
20	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/20/2023	24,700	19,700
21	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/21/2023	31,600	26,600
22	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/22/2023	25,500	20,500
23	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/23/2023	28,100	23,100
24	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/24/2023	24,700	19,700
25	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	USGS	12391950	6/25/2023	20,000	15,000
26	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000					
27	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000					
28	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000					
29	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000					
30	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000	5,000					
31	5,000		5,000		5,000		5,000	5,000		5,000		5,000					

Figures are noted in Cubic Feet per Second (CFS). One cubic feet of water per second is the equivalent of 724 acre feet per year, or enough water to cover 724 acres of land with 1 foot of water for an entire year.

Data Sources:

Lower Clark Fork River Appendix 27 Abstract 7N 30063808

USGS Statistics for Lower Clark Fork River Below Cabinet Dam Gorge in Idaho Gage #12391950 as specified in Appendix 27 Water Rights Abstract)

STATE OF MONTANA
DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

1424 9TH AVENUE P.O.BOX 201601 HELENA, MONTANA 59620-1601

GENERAL ABSTRACT

Water Right Number: 76N 30063808 COMPACT
Version: 1 – ORIGINAL RIGHT

Version Status:

Owners: USA (DEPT OF INTERIOR BUREAU OF INDIAN AFF)
IN TRUST FOR CONFEDERATED SALISH & KOOTENAI TRIBES
OF THE FLATHEAD INDIAN RESERVATION, MONTANA
911 NE 11TH AVENUE
PORTLAND, OR 97232-4169

ALL COMMUNICATION SHALL BE COPIED TO THE CSKT TRIBAL CHAIRMAN AS THE BENEFICIAL OWNER AT PO BOX 278, PABLO, MT 59855-0278.

Priority Date: TIME IMMEMORIAL

Purpose (use): INSTREAM FISHERY

Purpose Clarification: INSTREAM

Maximum Flow Rate: 5,000.00 CFS

THE ENFORCEABLE LEVEL OF THIS WATER RIGHT SHALL BE MEASURED AT THE USGS GAGE #12391950 LOCATION ON THE CLARK RIVER BELOW CABINET GEORGE DAM, IDAHO (48°05'17"N, 116°04'22"W, NAD83) (NWSENE SEC 27 T55N R3E). IF USGS GAGE #12391950 IS DISCONTINUED OR OTHERWISE RENDERED NONFUNCTIONAL, MEASUREMENTS SHALL BE TAKEN EITHER AT THIS SAME LOCATION OR AS NEAR TO THAT POINT AS IS REASONABLY PRACTICABLE.

CALL MAY BE INITIATED ON THE DAY FOLLOWING A 24-HOUR PERIOD WHERE AVERAGE DAILY RIVER FLOWS FALL BELOW THE ENFORCEABLE LEVEL OF THIS WATER RIGHT.

FOR SO LONG AS THE CABINET GORGE AND NOXON DAMS REMAIN IN EXISTENCE, THE ENFORCEABLE LEVEL OF THIS RIGHT IS A FLOW RATE EQUAL TO THE LESSER OF 5,000 CFS OR THE MINIMUM FLOW LEVEL ESTABLISHED BY THE FERC AS A CONDITION ON THE LICENSE FOR THE CABINET GORGE AND NOXON DAMS AS THAT LICENSE CONDITION MAY BE MODIFIED OVER TIME.

Maximum Volume:

Source Name: CLARK FORK
Source Type: SURFACE WATER

Point of Diversion and Means of Diversion:

<u>ID</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1			19	27N	34W	SANDERS

Period of Diversion: JANUARY 1 TO DECEMBER 31

Diversion Means: INSTREAM

Diversion Type: PRIMARY

2			24	27N	35W	SANDERS
---	--	--	----	-----	-----	---------

Period of Diversion: JANUARY 1 TO DECEMBER 31

Diversion Means: INSTREAM

Diversion Type: PRIMARY

Period of Use: JANUARY 1 to DECEMBER 30

Place of Use:

<u>ID</u>	<u>Acres</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1				19	27N	34W	SANDERS
2				24	27N	35W	SANDERS

Remarks:

THE OWNER OF THIS WATER RIGHT SHALL BE ENTITLED TO MAKE A CALL, IN ACCORDANCE WITH STATE LAW, TO ENFORCE THIS WATER RIGHT ONLY AGAINST JUNIOR WATER RIGHTS IN BASIN 76N (LOWER CLARK FORK DRAINAGE) AND IN BASIN 76M (MIDDLE CLARK FORK DRAINAGE) WHOSE POINT OF DIVERSION IS FROM THE MAINSTEM OF THE CLARK FORK RIVER AND NOT ITS TRIBUTARIES, THE PURPOSE OF WHOSE RIGHTS IS IRRIGATION AND WHOSE SOURCE OF SUPPLY IS SURFACE WATER, OR AGAINST JUNIOR USERS THE PURPOSE OF WHOSE RIGHTS IS IRRIGATION, WHOSE SOURCE OF SUPPLY IS GROUNDWATER CONNECTED TO THE MAINSTEM OF THE CLARK FORK RIVER AND WHOSE FLOW RATE IS GREATER THAN 100 GALLONS PER MINUTE.

Remarks:

THE PLACE OF USE OF THIS WATER RIGHT INCLUDES THE REACH OF THE CLARK FORK RIVER STARTING AT THE POINT WHERE THE CLARK FORK RIVER CROSSES THE MONTANA IDAHO STATE BORDER (48°05'21"N, 116°02'56"W, NAD83) (NWSNW SEC 24 T27N R35W) AND EXTENDING UPSTREAM TO THE CONFLUENCE OF THE CLARK FORK RIVER AND BLUE CREEK (48°05'46"N, 116°01'39"W, NAD83) (SWNWSE SEC 18 T27N R35W).

THIS WATER RIGHT SHALL NOT BE EXERCISED IN CONJUNCTION WITH ANY ARTIFICIAL DIVERSION.

THE EXERCISE OF THIS WATER RIGHT IS SUBJECT TO THE TERMS AND CONDITIONS OF THE WATER RIGHTS COMPACT ENTERED INTO BY THE CONFEDERATED SALISH & KOOTENAI TRIBES, THE STATE OF MONTANA, AND THE UNITED STATES OF AMERICA.

THE DESIGNATION OF A PLACE OF USE OF THIS WATER RIGHT IS A DESIGNATION FOR PURPOSES OF MEASUREMENT OF THE ENFORCEABLE LEVELS AND IS NOT A GEOGRAPHIC LIMITATION ON THE LOCATION OF JUNIOR WATER RIGHTS AGAINST WHOM THIS RIGHT MAY BE ENFORCED.

THIS IS A NONCONSUMPTIVE INSTREAM WATER RIGHT; THE PURPOSE AND INSTREAM PLACE OF USE CANNOT BE CHANGED.

```

# ----- WARNING -----
# Some of the data that you have obtained from this U.S. Geological Survey database
# may not have received Director's approval. Any such data values are qualified
# as provisional and are subject to revision. Provisional data are released on the
# condition that neither the USGS nor the United States Government may be held liable
# for any damages resulting from its use.
#
# Additional info: https://help.waterdata.usgs.gov/policies/provisional-data-statement
#
# File-format description: https://help.waterdata.usgs.gov/faq/about-tab-delimited-output
# Automated-retrieval info: https://help.waterdata.usgs.gov/faq/automated-retrievals
#
# Contact: gs-w_waterdata_support@usgs.gov
# retrieved: 2023-06-26 10:23:31 EDT (sdww02)
#
# Data for the following 1 site(s) are contained in this file
# USGS 12391950 CLARK FORK RIVER BELOW CABINET GORGE DAM ID
# -----
#
# Data provided for site 12391950
#      TS      parameter      statistic      Description
#      44995      00060      00003      Discharge, cubic feet per second (Mean)
#
# Data-value qualification codes included in this output:
#
#      A  Approved for publication -- Processing and review completed.
#      P  Provisional data subject to revision.
#
agency_cd      site_no      datetime      44995_00060_00003      44995_00060_00003_cd
5s      15s      20d      14n      10s
USGS      12391950      2022-06-25      84300      A
USGS      12391950      2022-06-26      82300      A
USGS      12391950      2022-06-27      80900      A
USGS      12391950      2022-06-28      78500      A
USGS      12391950      2022-06-29      68400      A
USGS      12391950      2022-06-30      63200      A
USGS      12391950      2022-07-01      61800      A
USGS      12391950      2022-07-02      55200      A
USGS      12391950      2022-07-03      55700      A
USGS      12391950      2022-07-04      54300      A
USGS      12391950      2022-07-05      52900      A
USGS      12391950      2022-07-06      53100      A
USGS      12391950      2022-07-07      47500      A
USGS      12391950      2022-07-08      46000      A
USGS      12391950      2022-07-09      42900      A
USGS      12391950      2022-07-10      42600      A
USGS      12391950      2022-07-11      44800      A
USGS      12391950      2022-07-12      38700      A
USGS      12391950      2022-07-13      32100      A
USGS      12391950      2022-07-14      37600      A
USGS      12391950      2022-07-15      28000      A
USGS      12391950      2022-07-16      33400      A
USGS      12391950      2022-07-17      30600      A
USGS      12391950      2022-07-18      28300      A
USGS      12391950      2022-07-19      28300      A
USGS      12391950      2022-07-20      24600      A
USGS      12391950      2022-07-21      23400      A
USGS      12391950      2022-07-22      20300      A
USGS      12391950      2022-07-23      21100      A
USGS      12391950      2022-07-24      18500      A
USGS      12391950      2022-07-25      22000      A
USGS      12391950      2022-07-26      16500      A
USGS      12391950      2022-07-27      19800      A
USGS      12391950      2022-07-28      21000      A

```

USGS	12391950	2022-07-29	20800	A
USGS	12391950	2022-07-30	17200	A
USGS	12391950	2022-07-31	11400	A
USGS	12391950	2022-08-01	14800	A
USGS	12391950	2022-08-02	11000	A
USGS	12391950	2022-08-03	10400	A
USGS	12391950	2022-08-04	12100	A
USGS	12391950	2022-08-05	12200	A
USGS	12391950	2022-08-06	12600	A
USGS	12391950	2022-08-07	9350	A
USGS	12391950	2022-08-08	13800	A
USGS	12391950	2022-08-09	10200	A
USGS	12391950	2022-08-10	7730	A
USGS	12391950	2022-08-11	12600	A
USGS	12391950	2022-08-12	9200	A
USGS	12391950	2022-08-13	5890	A
USGS	12391950	2022-08-14	9680	A
USGS	12391950	2022-08-15	9960	A
USGS	12391950	2022-08-16	12200	A
USGS	12391950	2022-08-17	7200	A
USGS	12391950	2022-08-18	9200	A
USGS	12391950	2022-08-19	9990	A
USGS	12391950	2022-08-20	4480	A
USGS	12391950	2022-08-21	12600	A
USGS	12391950	2022-08-22	8390	A
USGS	12391950	2022-08-23	7760	A
USGS	12391950	2022-08-24	11400	A
USGS	12391950	2022-08-25	12000	A
USGS	12391950	2022-08-26	5700	A
USGS	12391950	2022-08-27	3910	A
USGS	12391950	2022-08-28	7830	A
USGS	12391950	2022-08-29	13000	A
USGS	12391950	2022-08-30	10400	A
USGS	12391950	2022-08-31	6820	A
USGS	12391950	2022-09-01	14100	A
USGS	12391950	2022-09-02	9170	A
USGS	12391950	2022-09-03	8050	A
USGS	12391950	2022-09-04	13200	A
USGS	12391950	2022-09-05	10400	A
USGS	12391950	2022-09-06	17900	A
USGS	12391950	2022-09-07	9340	A
USGS	12391950	2022-09-08	12100	A
USGS	12391950	2022-09-09	12000	A
USGS	12391950	2022-09-10	10200	A
USGS	12391950	2022-09-11	7710	A
USGS	12391950	2022-09-12	10200	A
USGS	12391950	2022-09-13	6490	A
USGS	12391950	2022-09-14	7620	A
USGS	12391950	2022-09-15	8310	A
USGS	12391950	2022-09-16	6230	A
USGS	12391950	2022-09-17	6200	A
USGS	12391950	2022-09-18	6230	A
USGS	12391950	2022-09-19	9420	A
USGS	12391950	2022-09-20	7460	A
USGS	12391950	2022-09-21	8200	A
USGS	12391950	2022-09-22	5720	A
USGS	12391950	2022-09-23	5980	A
USGS	12391950	2022-09-24	6980	A
USGS	12391950	2022-09-25	6490	A
USGS	12391950	2022-09-26	8220	A
USGS	12391950	2022-09-27	11600	A
USGS	12391950	2022-09-28	6170	A
USGS	12391950	2022-09-29	7490	A
USGS	12391950	2022-09-30	6430	A
USGS	12391950	2022-10-01	5890	A

USGS	12391950	2022-10-02	6710	A
USGS	12391950	2022-10-03	13200	A
USGS	12391950	2022-10-04	12900	A
USGS	12391950	2022-10-05	13100	A
USGS	12391950	2022-10-06	14100	A
USGS	12391950	2022-10-07	10600	A
USGS	12391950	2022-10-08	11900	A
USGS	12391950	2022-10-09	9740	A
USGS	12391950	2022-10-10	7850	A
USGS	12391950	2022-10-11	8350	A
USGS	12391950	2022-10-12	10300	A
USGS	12391950	2022-10-13	12000	A
USGS	12391950	2022-10-14	10900	A
USGS	12391950	2022-10-15	8370	A
USGS	12391950	2022-10-16	10800	A
USGS	12391950	2022-10-17	12200	A
USGS	12391950	2022-10-18	12300	A
USGS	12391950	2022-10-19	12200	A
USGS	12391950	2022-10-20	8660	A
USGS	12391950	2022-10-21	6430	A
USGS	12391950	2022-10-22	6960	A
USGS	12391950	2022-10-23	9000	A
USGS	12391950	2022-10-24	8250	A
USGS	12391950	2022-10-25	9060	A
USGS	12391950	2022-10-26	7610	A
USGS	12391950	2022-10-27	7530	A
USGS	12391950	2022-10-28	6390	A
USGS	12391950	2022-10-29	6560	A
USGS	12391950	2022-10-30	6580	A
USGS	12391950	2022-10-31	6950	A
USGS	12391950	2022-11-01	9590	A
USGS	12391950	2022-11-02	9190	A
USGS	12391950	2022-11-03	11500	A
USGS	12391950	2022-11-04	7510	A
USGS	12391950	2022-11-05	7130	A
USGS	12391950	2022-11-06	7130	A
USGS	12391950	2022-11-07	7170	A
USGS	12391950	2022-11-08	7260	A
USGS	12391950	2022-11-09	9970	A
USGS	12391950	2022-11-10	17600	A
USGS	12391950	2022-11-11	13800	A
USGS	12391950	2022-11-12	11100	A
USGS	12391950	2022-11-13	7210	A
USGS	12391950	2022-11-14	9930	A
USGS	12391950	2022-11-15	10300	P
USGS	12391950	2022-11-16	12700	P
USGS	12391950	2022-11-17	15000	P
USGS	12391950	2022-11-18	11800	P
USGS	12391950	2022-11-19	9880	P
USGS	12391950	2022-11-20	11400	P
USGS	12391950	2022-11-21	10000	P
USGS	12391950	2022-11-22	5400	P
USGS	12391950	2022-11-23	4680	P
USGS	12391950	2022-11-24	4020	P
USGS	12391950	2022-11-25	4970	P
USGS	12391950	2022-11-26	7640	P
USGS	12391950	2022-11-27	6050	P
USGS	12391950	2022-11-28	9850	P
USGS	12391950	2022-11-29	14700	P
USGS	12391950	2022-11-30	10800	P
USGS	12391950	2022-12-01	12600	P
USGS	12391950	2022-12-02	11000	P
USGS	12391950	2022-12-03	4700	P
USGS	12391950	2022-12-04	5710	P
USGS	12391950	2022-12-05	13100	P

USGS	12391950	2022-12-06	11700	P
USGS	12391950	2022-12-07	16800	P
USGS	12391950	2022-12-08	10500	P
USGS	12391950	2022-12-09	12400	P
USGS	12391950	2022-12-10	3740	P
USGS	12391950	2022-12-11	8790	P
USGS	12391950	2022-12-12	12600	P
USGS	12391950	2022-12-13	10600	P
USGS	12391950	2022-12-14	22000	P
USGS	12391950	2022-12-15	14900	P
USGS	12391950	2022-12-16	13000	P
USGS	12391950	2022-12-17	10400	P
USGS	12391950	2022-12-18	6480	P
USGS	12391950	2022-12-19	15300	P
USGS	12391950	2022-12-20	13000	P
USGS	12391950	2022-12-21	10200	P
USGS	12391950	2022-12-22	11100	P
USGS	12391950	2022-12-23	12300	P
USGS	12391950	2022-12-24	12300	P
USGS	12391950	2022-12-25	12300	P
USGS	12391950	2022-12-26	7200	P
USGS	12391950	2022-12-27	9250	P
USGS	12391950	2022-12-28		
USGS	12391950	2022-12-29	19700	P
USGS	12391950	2022-12-30	10100	P
USGS	12391950	2022-12-31	9160	P
USGS	12391950	2023-01-01	9920	P
USGS	12391950	2023-01-02	16000	P
USGS	12391950	2023-01-03	14800	P
USGS	12391950	2023-01-04	13100	P
USGS	12391950	2023-01-05	14200	P
USGS	12391950	2023-01-06	12500	P
USGS	12391950	2023-01-07	11000	P
USGS	12391950	2023-01-08	7780	P
USGS	12391950	2023-01-09	13700	P
USGS	12391950	2023-01-10	10300	P
USGS	12391950	2023-01-11	14300	P
USGS	12391950	2023-01-12	11900	P
USGS	12391950	2023-01-13	9890	P
USGS	12391950	2023-01-14	5940	P
USGS	12391950	2023-01-15	7080	P
USGS	12391950	2023-01-16	9730	P
USGS	12391950	2023-01-17	14000	P
USGS	12391950	2023-01-18	12400	P
USGS	12391950	2023-01-19	14300	P
USGS	12391950	2023-01-20	13000	P
USGS	12391950	2023-01-21	5850	P
USGS	12391950	2023-01-22	8850	P
USGS	12391950	2023-01-23	14400	P
USGS	12391950	2023-01-24	11600	P
USGS	12391950	2023-01-25	14200	P
USGS	12391950	2023-01-26	8830	P
USGS	12391950	2023-01-27	6040	P
USGS	12391950	2023-01-28	7490	P
USGS	12391950	2023-01-29	9170	P
USGS	12391950	2023-01-30	16200	P
USGS	12391950	2023-01-31	13400	P
USGS	12391950	2023-02-01	12600	P
USGS	12391950	2023-02-02	15300	P
USGS	12391950	2023-02-03	16300	P
USGS	12391950	2023-02-04	7870	P
USGS	12391950	2023-02-05	7360	P
USGS	12391950	2023-02-06	9670	P
USGS	12391950	2023-02-07	9630	P
USGS	12391950	2023-02-08	13200	P

USGS	12391950	2023-02-09	16900	P
USGS	12391950	2023-02-10	12600	P
USGS	12391950	2023-02-11	10400	P
USGS	12391950	2023-02-12	12200	P
USGS	12391950	2023-02-13	7470	P
USGS	12391950	2023-02-14	17300	P
USGS	12391950	2023-02-15	15900	P
USGS	12391950	2023-02-16	15900	P
USGS	12391950	2023-02-17	10800	P
USGS	12391950	2023-02-18	5880	P
USGS	12391950	2023-02-19	5290	P
USGS	12391950	2023-02-20	9600	P
USGS	12391950	2023-02-21	11100	P
USGS	12391950	2023-02-22	17400	P
USGS	12391950	2023-02-23	16300	P
USGS	12391950	2023-02-24	12700	P
USGS	12391950	2023-02-25	12100	P
USGS	12391950	2023-02-26	6270	P
USGS	12391950	2023-02-27	13700	P
USGS	12391950	2023-02-28	9120	P
USGS	12391950	2023-03-01	14400	P
USGS	12391950	2023-03-02	11700	P
USGS	12391950	2023-03-03	8160	P
USGS	12391950	2023-03-04	4560	P
USGS	12391950	2023-03-05	5380	P
USGS	12391950	2023-03-06	8440	P
USGS	12391950	2023-03-07	9320	P
USGS	12391950	2023-03-08	9020	P
USGS	12391950	2023-03-09	12100	P
USGS	12391950	2023-03-10	6320	P
USGS	12391950	2023-03-11	7850	P
USGS	12391950	2023-03-12	9310	P
USGS	12391950	2023-03-13	5120	P
USGS	12391950	2023-03-14	6640	P
USGS	12391950	2023-03-15	7200	P
USGS	12391950	2023-03-16	12100	P
USGS	12391950	2023-03-17	8060	P
USGS	12391950	2023-03-18	3670	P
USGS	12391950	2023-03-19	3630	P
USGS	12391950	2023-03-20	9060	P
USGS	12391950	2023-03-21	9810	P
USGS	12391950	2023-03-22	10000	P
USGS	12391950	2023-03-23	4240	P
USGS	12391950	2023-03-24	6300	P
USGS	12391950	2023-03-25	6730	P
USGS	12391950	2023-03-26	4050	P
USGS	12391950	2023-03-27	11800	P
USGS	12391950	2023-03-28	10900	P
USGS	12391950	2023-03-29	13200	P
USGS	12391950	2023-03-30	7790	P
USGS	12391950	2023-03-31	4790	P
USGS	12391950	2023-04-01	3780	P
USGS	12391950	2023-04-02	6790	P
USGS	12391950	2023-04-03	11300	P
USGS	12391950	2023-04-04	14400	P
USGS	12391950	2023-04-05	10900	P
USGS	12391950	2023-04-06	7370	P
USGS	12391950	2023-04-07	5010	P
USGS	12391950	2023-04-08	4870	P
USGS	12391950	2023-04-09	4020	P
USGS	12391950	2023-04-10	7130	P
USGS	12391950	2023-04-11	8390	P
USGS	12391950	2023-04-12	10800	P
USGS	12391950	2023-04-13	14300	P
USGS	12391950	2023-04-14	14800	P

USGS	12391950	2023-04-15	11100	P
USGS	12391950	2023-04-16	10000	P
USGS	12391950	2023-04-17	14900	P
USGS	12391950	2023-04-18	12800	P
USGS	12391950	2023-04-19	16400	P
USGS	12391950	2023-04-20	19000	P
USGS	12391950	2023-04-21	13600	P
USGS	12391950	2023-04-22	13500	P
USGS	12391950	2023-04-23	3990	P
USGS	12391950	2023-04-24	4130	P
USGS	12391950	2023-04-25	15800	P
USGS	12391950	2023-04-26	13200	P
USGS	12391950	2023-04-27	17900	P
USGS	12391950	2023-04-28	18900	P
USGS	12391950	2023-04-29	19900	P
USGS	12391950	2023-04-30	21200	P
USGS	12391950	2023-05-01	29800	P
USGS	12391950	2023-05-02	34700	P
USGS	12391950	2023-05-03	39600	P
USGS	12391950	2023-05-04	48100	P
USGS	12391950	2023-05-05	45000	P
USGS	12391950	2023-05-06	46000	P
USGS	12391950	2023-05-07	57800	P
USGS	12391950	2023-05-08	58400	P
USGS	12391950	2023-05-09	54800	P
USGS	12391950	2023-05-10	51800	P
USGS	12391950	2023-05-11	48900	P
USGS	12391950	2023-05-12	55200	P
USGS	12391950	2023-05-13	54200	P
USGS	12391950	2023-05-14	54400	P
USGS	12391950	2023-05-15	57400	P
USGS	12391950	2023-05-16	57700	P
USGS	12391950	2023-05-17	56200	P
USGS	12391950	2023-05-18	60700	P
USGS	12391950	2023-05-19	61500	P
USGS	12391950	2023-05-20	61800	P
USGS	12391950	2023-05-21	56300	P
USGS	12391950	2023-05-22	59500	P
USGS	12391950	2023-05-23	55300	P
USGS	12391950	2023-05-24	55200	P
USGS	12391950	2023-05-25	51000	P
USGS	12391950	2023-05-26	47600	P
USGS	12391950	2023-05-27	44200	P
USGS	12391950	2023-05-28	44900	P
USGS	12391950	2023-05-29	47800	P
USGS	12391950	2023-05-30	41800	P
USGS	12391950	2023-05-31	40200	P
USGS	12391950	2023-06-01	39500	P
USGS	12391950	2023-06-02	38000	P
USGS	12391950	2023-06-03	31300	P
USGS	12391950	2023-06-04	32500	P
USGS	12391950	2023-06-05	32400	P
USGS	12391950	2023-06-06	31800	P
USGS	12391950	2023-06-07	33300	P
USGS	12391950	2023-06-08	31100	P
USGS	12391950	2023-06-09	32400	P
USGS	12391950	2023-06-10	30100	P
USGS	12391950	2023-06-11	30300	P
USGS	12391950	2023-06-12	32400	P
USGS	12391950	2023-06-13	30800	P
USGS	12391950	2023-06-14	31600	P
USGS	12391950	2023-06-15	34800	P
USGS	12391950	2023-06-16	32100	P
USGS	12391950	2023-06-17	25200	P
USGS	12391950	2023-06-18	23300	P

USGS	12391950	2023-06-19	26800	P
USGS	12391950	2023-06-20	24700	P
USGS	12391950	2023-06-21	31600	P
USGS	12391950	2023-06-22	25500	P
USGS	12391950	2023-06-23	28100	P
USGS	12391950	2023-06-24	24700	P
USGS	12391950	2023-06-25	20000	P